

N Neville Built Trailers



ALUMINUM

GRAIN TRAILERS



38 1/2' Aluminum - Double Hopper



34' Aluminum - Double Hopper



24' Aluminum - Single Hopper

Neville Built Aluminum Grain Trailer Specifications

Length	24'	34'	38'	40'
New 25,000# Rockwell Axles	1	2	2	2
# of hoppers	1	2	2	2
King pin setting	15"	15"	15"	15"
King pin to landing leg	80"	92"	92"	92"
Empty weight*	5,200	8,250	8,700	8,900
Heaped bushel capacity (approx.)	690	1,050	1,125	1,150
Degree of hopper slope	37½	37½	37½	37½
Number of 19" wide doors	1**	2	2**	2**

* Includes Shur-Lok tarp, steel wheels and radial tires.
 ** 2-speed gear openers standard.



40' Aluminum - Double Hopper

Standard Features

- 25,000# axles - 10 hole hub pilot with steel wheels
- Hutch 9700 3-leaf spring suspension
- New Virgin Radial Tires
- Aluminum exterior ladders (front & rear)
- Sealed wiring system
- 2-speed 50,000 # landing legs
- Shur-Lok tarp system
(easy-off tarp stops are standard)
- Wabco 2S/1M ABS system with color coded brake lines
- Automatic slack adjusters
- D.O.T. Approved reflective tape



38 1/2' Aluminum - Double Hopper

Body Features

- "Self-cleaning" Teflon guides on trap doors. No rollers to freeze up. Sealed bearings on pinion shaft. Double rack and pinion gears on all doors.
- 4" square tube top rail
- 3/8" king pin plate
- 102" wide with 67" tall sides
- 21" clearance from ground to bottom of pinion gears - 23" to bottom of door
- 19" wide trap opening is among the most user friendly on the market
- Seamless body corners
- Ground to top of top rail is 9'7"

Options

- Sight windows
- Air ride suspensions
- Front and rear aluminum catwalks
- Double ridge straps
- Electric tarps
- 2-speed gear reducers on trap door on 34' model
- Long tongue dollies and turntables
- Aluminum wheels
- LED light package



38 1/2' Aluminum - Optional White Paint



38 1/2' Steel Horizontal Rib - Double Hopper

Neville Built Trailers has been helping farmers, custom harvesters and commercial haulers move millions of bushels of grain across the United States, Mexico and Canada since 1985. Whether you are in the market for a steel or aluminum grain trailer, consider all the features Neville Built Trailers offer.

- Sealed wiring system is standard on all grain trailers. Lights are sealed and mounted in rubber grommets. All trailers 30' and longer have mid-turn signals.



**Long Tongue - drop hitch converter dolly
• built to last. Custom built to length.**

Neville Built also offers a complete line of dropdeck trailers, (including sprayer special dropdecks) and steel ground load and floor livestock trailers. Contact your nearest dealer for more information.



NB Neville
Built Trailers

Chuck Henry Sales

Solomon, KS

785-655-9430

Garden City, KS

620-277-2367