

# NB Neville Built Trailers

## DROPDECK TRAILERS

**48' Dropdeck,  
spread axle airride,  
5' Beavertail with  
3 ramps**



**53' Dropdeck,  
spread axle airride,  
5' Beavertail with  
3 ramps**



**53' Dropdeck,  
spread axle airride,  
5' Beavertail with  
3 ramps**



**35 ton Lowboy,  
102" wide,  
17 1/2" tire  
& wheel**



## Neville Built Dropdeck Standard Sizes

Overall Length	Top Deck	Pin Setting	# of Axles	Main Deck Length	Trailer Wt.	GVW	Beavertail
39'	10'	18"	1	24'	9,600#	25,500# uniform	5' 2 ramps
42'	11'	24"	2	26'	11,900#	68,000# uniform 50,000# in 10'	5" 2 ramps
45'	11'	24"	2	29'	12,500#	68,000# uniform 50,000# in 10'	5" 2 ramps
48'	11'	24"	2	32'	13,200#	68,000# uniform 50,000# in 10'	5" 2 ramps
50'	11'	24"	2	34'	13,800#	68,000# uniform (40,000# in 20') or 50,000# in 10' optional	5" 2 ramps
53'	11'	30"	2	37'	14,200#	68,000# uniform (40,000# in 20') or 50,000# in 10' optional	5" 2 ramps

**53' x 102"  
Dropdeck, closed  
tandem spring ride,  
5' beavertail  
with 3 ramps**



**53' Dropdeck, spread axle with  
18" pull out extensions**

### Standard Features

- 102" wide decks
- 5' Beavertail with 2 folding ramps
- Spring assist for ramps
- New 25,000# axles, 16 $\frac{1}{2}$ " x 7" brakes, outboard drums, hub pilot
- Hutch spring suspension (3 leaf springs)
- Dual certified high strength wide flange frames
- 5" Hi tensile I-beam crossmembers on top and lower decks - 16" on center
- 1 $\frac{1}{4}$ " oak floor
- 255/70R22.5 radial tires (new virgin)
- Anti-lock brakes system - Rockwell Wabco
- 2-speed/50,000# landing legs
- All required ICC lights and reflective tape
- Stake pockets on 24" centers with 3/8" x 2" rubrail
- Sealed wiring harness



**53' Double Drop, with pull out extensions, spread axle airride**

### Optional Equipment

- Airride suspensions - closed tandem, tri-axle or 10'1" spread
- Electric dump valves
- Manual dump valves
- 12<sup>1</sup>/<sub>4</sub>" x 7<sup>1</sup>/<sub>2</sub>" brake axles with 17.5" tubeless radial tires
- Aluminum wheels
- 96" wide decks
- 18", 24", 36" and 42" king pin settings
- 12" and 14" centers on cross member spacing
- Center ramp on beavertail
- 2 ramps for top deck with storage compartment
- Single or double pipe spools between stake pockets
- Apitong flooring
- Slide out extensions - 12", 18" or 24"
- Bulkheads - fixed or removable
- Steel and aluminum tool boxes
- Sloped drop on necks
- Delete beavertail and ramps
- Custom paint colors on request
- Additional side marker lights
- Fixed or slide winches
- Double drops available



**48' Dropdeck, no beavertail. We custom build flat frame & dropdeck chassis.**

**42' Flatbed,  
Airride with 22.5  
Aluminum Budd  
Wheels**



**48' Sprayer  
Special Dropdeck  
with rear pull  
out extensions  
to haul high  
wheel sprayer**



**Pintle Hitch  
Equipment  
Trailers**



- Available in tandem or tri-axle
- Various lengths - custom built to your specifications
- Straight through or drop frame hitches

**NB** Neville  
Built Trailers

**Chuck Henry Sales**

Solomon, KS  
785-655-9430  
Garden City, KS  
620-277-2367